

Makita

18V Brushless D-Handle Jigsaw

LXT



DJV184

18V Brushless D-Handle Jigsaw

The Makita 18V LXT Brushless D-Handle Jig Saw (DJV184) delivers fast and efficient cutting, with a compact design that's engineered for ease-of-use and maneuverability. The DJV184 features a top handle design and is ideal for woodworkers, cabinet makers, builders, and general trades.

The DJV184 has a compact and ergonomic design with less weight (only 2.4kg. with 18V LXT 6.0Ah battery, sold separately). The efficient Makita-built brushless motor is engineered for longer run time, increased power and speed, and longer tool life. The variable 5-speed control dial (0-3,000 SPM) enables the user to match the speed to the application, and the 3 orbital settings plus straight cutting provide added versatility. Convenience features include "tool-less" blade changes, large 2-finger variable speed trigger with lock-on button and a built-in dust blower to clear the line of cut.



Product Overview

Slim Tool Body

Electric brake

Soft start

Tool-less blade clamp

Soft No Load



Variable speed control by trigger and dial

Constant speed control

3 orbital setting + straight cutting

Product Specification Sheet



Max. cutting capacities in wood	135mm
Max. cutting capacities in steel	10mm
Max. cutting capacities in aluminium	20mm
Length of stroke	23mm
Strokes per minute	0-3,000spm
Bevel capacity	45° left - 45° right
Overall length	259mm
Skin weight	1.8kg
Weight (with battery)	2.4kg
Voltage	18V


- **Slim tool body** – tool body has been re-designed to be slimmer than the previous model enabling the tool to have greater access to tight or confined spaces.
- **Electric brake** – rapidly stops cutting blade after trigger has been released for increased safety and productivity.
- **Soft start** – Soft start suppresses start-up reaction for better accuracy.
- **Tool-less blade clamp** – Tool-less blade change system allows for faster blade installation and removal for increased productivity.
- **Soft No Load** – No-load speed reduction feature automatically reduces SPM when tool is under no load for more accurate cutting starts.
- **Variable speed control** – Variable control dial (800-3,500 SPM) enables user to match the speed to the application
- **Constant speed control** – Constant speed control automatically applies additional power under load for optimum performance.
- **3 orbital setting + straight cutting** – 3 orbital settings plus straight cutting deliver faster and more accurate cuts in a variety of materials.

Power



High power Brushless motor optimised for up to 15% faster cutting than previous model

Control



Variable speed control trigger and dial enables user to match the speed to the application

Convenience



Tool-less blade change system allows for fast and easy blade installation and removal

Comfort



Slim and lightweight tool body at only 2.4kg with battery for increased user comfort

3 orbital setting + straight cutting








This tool can be operated with an orbital or a straight line (up and down) cutting action.

The orbital cutting action thrusts the jig saw blade forward on the cutting stroke and greatly increases cutting speed.



Position	Cutting Action	Applications
0	Straight line cutting action	For cutting mild steel, stainless steel and plastics. For clean cuts in wood and plywood
1	Small orbital cutting action	For cutting mild steel, aluminum and hard wood.
2	Medium orbital cutting action	For cutting wood and plywood. For fast cutting in aluminum and mild steel.
3	Large orbital cutting action	or fast cutting in wood and plywood.

Standard Accessories		
	B-06460	1pc Jigsaw blade B-50 (Only 1pc supplied. Part number is for a 5pk)
	783201-2	Hex wrench 3
	457867-1	Cover plate
	413F05-1	Dust nozzle
	458191-5	Dust cover

Optional Accessories		
	-	Wood Cutting Link to catalogue
	-	Universal Multi Material Link to catalogue
	-	Metal Cutting Link to catalogue
	-	Specialised Cutting Link to catalogue
	-	Combination Sets Link to catalogue
	193517-1 194368-5	Guide Rail Adaptor 1,400mm Guide Rail
	192557-6	Anti splintering Device