MITRE 10 CLAD Trade ALOGUE





HARDIE™ ARCHITECTURAL COLLECTION

The Hardie[™] Architectural Collection features a range of distinctive new exterior cladding textures and profiles, including Hardie[™] Brushed Concrete Cladding, Hardie[™] Oblique[™] Cladding and more.

Created with complementarity in mind, each product takes design versatility to a new level.

Vertical Profiles



Hardie™ Oblique™ Cladding

Square and angled edges evoke a bold, contemporary aesthetic.

It is the only Hardie™ Exterior Cladding product with a slanted grove edge that mixes shadows and highlights providing interest and depth.

Available in 200mm and 300mm widths which can be used alternating or on its own.



Axon™ Cladding

Bring beauty, drama and fine detail to your walls with clean vertical lines.



Stria™ Cladding

Bold lines suit modern designs – add versatility with varying widths and orientations.





Horizontal Profiles



Hardie™ Oblique™ Cladding

Wide grooves and slanted edges evoke a bold, contemporary aesthetic.



Linea™ Weatherboard

A deep-shadow weatherboard offers clean horizontal lines for contemporary looks.



Stria™ Cladding

Strong horizontal shiplap shadow lines deliver an elegant and restrained aesthetic.

Textured Panels



Hardie™ Brushed Concrete Cladding

Fresh, flowing lines are ideal for creating monolithic facades with interest.

Reminescent of softly brushed concrete, Hardie™ Brushed Concrete Cladding provides a distictive embedded textured finish which can be used from the ground up.



Hardie™ Fine Texture Cladding

Achieve a modern, minimalist aesthetic with a smooth, natural sand-like texture and fine matte finish.

Expressed Joints



Matrix™ Cladding

Bring a bold, industrial aesthetic with a panelised, geometric look.







HARDIETM BRUSHED CONCRETE





New Hardie[™] Brushed Concrete Cladding has a unique texture, which is embedded into the panel, and is reminiscent of softly brushed concrete making it distinctively tactile.

This sophisticated texture is perfect for creating modern facades, appearing smooth from a distance and surprisingly detailed up close when used in ground-floor applications.

The panels are connected to each other with shiplap joints, cut to size and typically gun-nailed with no patching. There's no need for specialist trades to set joints and apply textures so only carpentry trades are required for installation.



- An embedded texture panel that is pre-sealed and ready to paint
- ✓ Hardie[™]-embedded texture technology enables beautiful, consistent textured panels without the need for artisan tradespeople
- ✓ The 8.5mm thick panels are compatible with a selection of Hardie[™] 9mm accessories ensuring multiple Hardie[™] cladding panels can be mixed and matched for diverse designs
- ✓ The 1200mm wide panels are available in four lengths, enabling builders to select the most suitable size to help increase installation efficiency and help reduce wastage
- ✓ Deemed non-combustible. It adheres to bushfire attack level (BAL) requirements, up to bal40
- ✓ Fire resistant. It can be used as part of a Hardie[™] smart fire and acoustic wall system which achieves a fire resistance level (FRL) of up to 60 minutes

PRODUCT CODE	LENGTH (MM)	WIDTH (MM)	THICKNESS (MM)
405310	2440	1200	8.5
405311	2750	1200	8.5
405312	3000	1200	8.5
405309	3600	1200	8.5





Hardie[™] Oblique[™] Cladding evokes a bold, contemporary aesthetic with wide grooves and bespoke design flexibility. It is the only Hardie[™] Exterior Cladding with a slanted groove edge, delivering highlights and shadows.

Available in 200mm and 300mm widths, these 14mm thick shiplap boards offer multiple installation options and allow for simple alternation or unique combinations.

The boards are primed and ready to paint. Similar in appearance to standing seam metal cladding it's an easy-to-install fibre cement solution.

HARDIE™ OBLIQUE





Hardie[™] Oblique[™] Cladding does not require specialist installers, helping to reduce the number of trades on-site and the complexity of the installation.

For vertical installation 2750mm lengths suit common wall heights which can help reduce waste. 4200mm lengths give tall walls a continuous look, reducing the need for horizontal joints.

Deemed non-combustible. Up to a 60-minute Fire Resistance Level (FRL) can be achieved when installed as part of the Hardie™ Smart Fire & Acoustic Wall System.

Deemed non-combustible. Adheres to Bushfire Attack Level (BAL) requirements up to BAL40.

Does not require specialist installers.

REQUIRED COMPONENTS

Hardie™ Castellated Battens A non-structural, castellated timber batten used to allow ventilation in a wall cavity. Product Code: 306181

PRODUCT CODE	LENGTH (MM)	WIDTH (MM)	THICKNESS (MM)
405301	4200	200	14
405303	4200	300	14
405300	2750	200	14
405302	2750	300	14







Achieve a modern, minimalist aesthetic with Hardie™ Fine Texture Cladding. The smooth, natural sand texture adds warmth and diffuses light, giving your new home, renovation or extension a fine matte finish.

Hardie™ Fine Texture Cladding is a pre-textured fibre cement panel means it is durable and has lower maintenance than traditional cement renders to stay looking good for many years to come. Installation is streamlined and builders love it.

HARDIE™ FINE TEXTURE

- Provides contemporary clean lines and pared-back aesthetics for homes with simple, bold forms.
- ✓ Lasting Beauty Built for tough Australian conditions. Ready for what life throws at it, flexible colour - pre-textured, pre-sealed and paint-friendly. Choose a low-sheen exterior paint in any colour. Fire resistant.
- ✓ Adheres to bushfire attack level requirements to bal40. Fire rating up to 60 minutes when used with HardieSmart wall systems
- ✓ Save time, save complexity, save cost, save from cracks



PRODUCT CODE	LENGTH (MM)	WIDTH (MM)	THICKNESS (MM)
405252	2440	1200	8.5
405255	2750	1200	8.5
405253	3000	1200	8.5
405254	3600	1200	8.5





AXON™ CLADDING

Introduce drama and detail to your walls with the clean vertical lines of Axon™ Cladding, while incorporating the beauty and fine detail of painted vertical joint timber.

Axon™ Cladding is a range of vertically grooved panels with the detail of vertical joint timber.


✓ Fibre cement with the charm of timber without the longevity issues of shrinking, swelling and warping to retain its looks for longer.

KNOW
EXACTLY
WHERE
THAT LITTLE
TRUCKER IS.











Stria[™] Cladding is a range featuring horizontal shiplapped joints, that create a timeless and enduring look.

The pre-primed panels are easy to install, enabling design versatility and aiding in achieving a contemporary and bold, but understated look through its deep grooves.

Can be gunnailed to timber frames or screwed to steel frames. Fire resistant.


A fire rating of up to 60 minutes when used in conjunction with HardieTM Smart Wall Systems.

Adheres to bushfire attack level requirements of BAL40.

✓ Stria 325mm & 405mm profiles are 14mm thick fibre cement with shiplap joints that leave 15mm wide horizontal grooves for strong clean lines

STRIA™ CLADDING

SEE YOUR LOCAL MITRE 10 TRADE CENTRE DISPLAY TODAY









LINEAT CLADDING



Ideal for creating a Hamptons or coastal inspired look when combined with contrasting AxentTM trims in new homes or renovations.

Innovative and durable, Linea[™] weatherboards are resistant to shrinking, swelling or cracking and will hold paint longer than wood.

A deep shadow weatherboard for contemporary homes. The clean horizontal lines of LineaTM weatherboards work beautifully on the expansive external walls of modern architecture.

Available in 150mm and 180mm profiles, the 16mm thick weatherboard enable handy tongue and groove short ends for clean butt joins even off-stud.



weathertex

The Natural range offers a unique appearance with the characteristics and looks of raw undressed timber. Its surface is pressed to create a random woodgrain effect, showing the knots, grains and imperfections of natural timber.

Natural range can be left unsealed to silver-off, stained or a combination of both to create the perfect 'look'.





NATURAL

✓ Curved walls can be achieved down to a minimum of 2.5m radius for Selflok and 7m for Weathergroove.




Selflok Ecogroove 150 Natural









dweathertex

Weathertex products are lightweight and can be cut using standard carpentry tools. With a consistent 9.5mm thickness and matching accessories makes it easy to mix multiple profiles within a project.

1000 kg/m³ product density with a minimum 32MPa rating. Watertight – mechanical flashing and joining accessories mean that sealant control joints are seldom required.





WEATHERGROOVE








FUSION





- Curved walls can be achieved down to a minimum 7m radius for Weathergroove.
- ✓ Made from real Australian hardwoods.
- Can be used internally (group 3) and as an external wall cladding in bushfire attack levels up to and including BAL 19 construction.
- Off stud joining option enables minimal waste and less timber stud layout.
- Can be cut with standard carpentry tools.



Weathergroove is the ideal choice for the urban contemporary home. It's the largest panel available in the Australian market, making this vertically grooved panel ideal for covering large areas in a short amount of time and its versatility offers endless possibilities.

SELFLOK

A favourite in the Weathertex family, Selflok flat panelled appearance is a fresh alternative to traditional lapped planks and perfectly suited for the modern home.

Selflok CodeMark accredited weatherboards have the simplest unique horizontal tongued groove flush system, which allows every board to self gauge.

The precise routing gives the product a beautiful and unique profile that makes it the first choice for many.











PRIMELOK



Primelok is Weathertex's most popular range for achieving traditional sophistication and elegance.

Regardless if you select Hamptons styling for urban living or a more relaxed coastal style, Primelok has a wide range of profiles to create this look.










RUBIX

Rubix panel is designed to simplify installation with its self-locking mechanism. Whether you prefer square or rectangle panels, Rubix Panel offers versatility by allowing you to join them on or off-stud. Experience unparalleled flexibility and effortless installation with Rubix Panel, eliminating the need for meticulous stud layout planning or additional joining accessories.

Upon installation, these panels create a smooth and flat surface finish, enhanced by a shallow 4mm deep and 10mm wide groove.







MAGNUM BOARD







Magnum Board™ Weatherboards are designed with beauty in mind.

The appealing finish can be painted to modern or traditional colours creating the space you'll love.

The Mould and Pest resistant formula gives peace of mind for homeowners.

Suitable for bushfire areas, with a BAL-FZ rating, there's no need to compromise when building in the bush any longer.

- ✓ CO2 negative
- ✓ Beautiful finish
- ✓ Suitable for Bushfire areas (to BAL FZ)*
- ✓ End matched for ease of installation
- ✓ Free from nasty chemicals
- ✓ High impact resistance
- ✓ Non-combustible with zero flame spread
- ✓ Mould and insect proof
- ✓ Size available 3600x180x16mm

*When used as part of a performance based solution







THERMORY IGNITE 5

Thermory Ignite 5 Cladding can be used to create modern and unique looks for your home, both inside and out.

Thermally modified for durability, your house will be the jewel in the street that will have passers-by picking their jaws up off the floor.

AS SEEN ON COUNTRY HOME RESCUE WITH SHAYNNA BLAZE!

Size: 186x20mm (180mm Cover)

Features & Benefits:

- ✓ Exceptional surface ✓ Pre-finished for Easy durability
 - Installation
- ✓ Embossed
- ✓ No messy residue
- ✓ End-Matched



DURABILITY



DIMENSIONAL



EXTREMELY LOW MAINTENANCE



THERMALLY MODIFIED WOOD



THERMORY



CHEMICAL FREE NON-HAZARDOUS





INSTALLATION



END-MATCHED



EXTRA WIDE BOARDS

C7J

Enhance your walls with Thermory's durable and surprisingly easy-to-install benchmark pine cladding, with decades of rot resistance, unrivalled dimensional stability and a naturally beautiful appearance featuring distinctive

PACS® CLAD

Pacs® clad consists of Thermory thermo-pine batten with pre-mounted grad® single clips.









THERMORY THERMO-SPRUCE RAW

Thermory thermo-spruce raw is a cladding solution that offers exceptional rot resistance with a rustic look and feel.

This cladding has a brushed texture finish and comes in a range of sizes.



THERMORY





Features & Benefits:

- ✓ Durability ✓ Stability
- ✓ Easy installation low maintenance end-matching available brushed texture

Sizes Available:

- √ 140x19 (129mm cover)
- ✓ 186x19 (169mm cover)
- ✓ 211x19 (194mm cover)

DRIFT

The Drift series is available in gently worn, true-to-life colours that will give your surfaces a desirable weathered look.

Drift's luxuriously wide boards and rustic, chic colours are suitable for both indoor and outdoor use.

Colours Available:

- ✓ Black Pearl
- ✓ Platinum
- ✓ Sandy Pearl
- ✓ Smoked Brandy

Sizes Available:

✓ 186x20mm (180mm cover)










ASH CLADDING

IRONASH

Ironash cladding is a mix of Victorian ash and Tasmanian oak that has been treated with a clear h3 treatment for protection from mould and decay.

Let it grey naturally for the weathered look, or coat with an oil or stain to retain the rich colour. This stylish look for exteriors is on trend and will give a lift to any outside space.

Size available: 120x19mm (105mm cover)





IRONOAK

Honey tones and beautiful, natural timber feature. Ironoak cladding is stunning when used and breathes brand new life into a house and will set your home apart from the rest.

Ironoak will protect your home from the elements, will install with ease and looks fantastic when painted.

Size available: 120x19mm (105mm cover)









DURAFLOOR

Your ultimate flooring solution, BGC Durafloor™ is superb for interior wet areas such as bathrooms and laundries. You can also specify Durafloor™ for a variety of exterior uses.

Choose DurafloorTM for balconies, verandahs and sundecks. Alternatively, and where premium quality is your main concern, insist on DurafloorTM as a total floor solution.



DURAFLOOR™

WHAT'S GOOD ABOUT DURAFLOOR™ FLOORING SOLUTIONS?

- ✓ Easy installation via traditional gun-nailing methods
- ✓ Same tongue-and-groove technology as traditional sheet flooring (e.g. structaflor)
- ✓ Installation costs lower than standard compressed sheet
- Greater impact resistance feels more solid underfoot than timber-based sheet flooring products







STRATUMTM





Choose one profile as a standalone, or mix 'n' match to create an eye catching and original exterior cladding system.

STRATUM™

300mm wide weatherboard.

STRATUM™ DUO

300mm wide weatherboard with a 16mm centre groove and the look of two slimmer planks.

STRATUM™ TRIO


300 wide weatherboard with 2 x 16mm horizontal grooves.

STRATUM™ CONTOUR

170mm wide weatherboard with a 2mm indentation at the top of each weatherboard.



Fibre Cement







- ✓ Easy shiplap joining
- ✓ Factory sealed, ready for painting
- ✓ Optional face-fix or conceal-fix
- Quick, simple installation: manual nailing, gun nailing or screw fixing









INNOVA MONTAGE™

Range of façade products are versatile and add an element of texture and dimension to the interior and exterior of your project.

There are a variety of advantages when selecting Montage™ as part of your next project. Our high quality fibre cement is strong and durable and used to create stylish profiles.

4 PROFILES AVAILABLE:

Concrete, Slimline Tile, Stackstone & Woodgrain



MONTAGETM

- ✓ Multiple colours avail able in each profile
- ✓ Lightweight and easy to install
- ✓ Perfect for internal or external installation
- Pre-finished using a multiple coat finishing system
- ✓ Fully sealed panels that are weather resistant and won't rot or burn











Interior application of fibre cement: benefits, uses and design considerations one of the main reasons architects and designers select fibre cement over other alternatives is that Innova's™ high-quality products imitate the appearance of timber, stone, or concrete but at a lower cost and with the added benefits of fibre cement.



INNOVATM

There is a lack of inform ation regarding the use and benefits of fibre cement in interior design. If more people knew about the benefits, interior designers would be able to make better-informed decisions about specifying Innova $^{\text{\tiny M}}$ in their designs for a high-quality end product.

The same properties that make fibre cement desirable for exterior applications also make it an ideal choice for interior design, including flexibility, fast and easy installation, its mix-and-match nature to create bespoke designs and the variety of textures, colours and finishes. Explore the multipurpose use, benefits and qualities of Fibre cement for interior applications for your next project.





The architectural benefits of the Innova™ range include durability and stability. The robust construction of fibre cement means it will not rot, deform, warp, or lose structural integrity.

Its fibre cement panels are water resistant too. Fibre cement is thinner than standard forms of cement, enabling wider spaces without a loss of stability or resilience. Fibre cement is also moisture-resistant and has a very high pH level, which ensures protection against mould growth.



SPEND \$500 ON CLADDING TO BE IN THE CHANCE TO:









EDEN MITRE 10 115 Princes Highway, EDEN, NSW 2551	Ph: 6496 0405	HUDSON TRADE CENTRE MITRE 10 30 Coombes Drive, PENRITH, NSW 2750	Ph:4721 4877
BEGA MITRE 10 127 Auckland Street, BEGA, NSW 2550	Ph:6491 6800	HUDSON TRADE CENTRE MITRE 10 Cnr Mile End & Withers Road, ROUSE HILL, NSW 2155	Ph:9629 0488
HARPER'S TRADE CENTRE MITRE 10 359 Wentworth Ave, PENDLE HILL, NSW 2145	Ph:9896 1000	HUDSON TRADE CENTRE MITRE 10 Unit 1, 51 - 65 Aberglasslyn Rd, RUTHERFORD, NSW 2320	Ph:4936 8666
HUDSON TRADE CENTRE MITRE 10 4 Orchard Road, BROOKVALE, NSW 2100	Ph:9905 4633	HUDSON TRADE CENTRE MITRE 10 20-26 Chaston Street, WAGGA WAGGA, NSW 2650	Ph:6933 0200
HUDSON TRADE CENTRE MITRE 10 365-369 Lake Road, GLENDALE, NSW 2285	Ph:4958 1488	HUDSON TRADE CENTRE MITRE 10 296 Manns Road, WEST GOSFORD, NSW 2250	Ph:4323 2221
HUDSON TRADE CENTRE MITRE 10 558 Princes Highway, KIRRAWEE, NSW 2232	Ph:9542 3300	JOHNSON BROS MITRE 10 73 Bassett St, MONA VALE, NSW 2103	Ph:9999 0333
HUDSON TRADE CENTRE MITRE 10 9 Hollylea Road, LEUMEAH, NSW 2560	Ph:4628 9980	KATOOMBA MITRE 10 46 WILSON STREET, KATOOMBA, NSW 2780	Ph:4782 6066
HUDSON MITRE M10 Cnr Yass Rd & Aurora Ave, QUEANBEYAN, NSW 2620	Ph:6297 8711	KINCUMBER MITRE 10 & TRADE CENTRE Unit 1/1-5 Kerta Road, KINCUMBER, NSW 2251	Ph:4368 3866
HUDSON TRADE CENTRE MITRE 10 81 Beauchamp Rd , MATRAVILLE, NSW 2036	Ph:8336 8336	LAVIS MITRE 10 21 - 25 Market Street, Muswellbrook, NSW 2333	Ph:6541 4014
HUDSON TRADE CENTRE MITRE 10 34 Vicar Street, MITCHELL, ACT 2911	Ph:6213 3744	PAMBULA MITRE 10 10 TOALLA STREET, PAMBULA, NSW 2549	Ph:6495 8000

*For a chance to WIN 1 of 5 Sony Playstation Kits, valued at \$848 each (Playstation Kit includes 1 Playstation 5 valued at \$649, 1 PS5 Headset valued at \$119 and 2x \$50 Playstation cards valued \$100) individuals must spend \$500 (incl GST) or more on any Hardie[™] Architectural Collection, Weathertex, McCormack's Australia (MagnumBoard, Themory, AshCladding) & BGC FibreCement (Innova) product/s on their trade account at participating Mitre 10 and Home Hardware stores between 17/07/23 to 27/08/23. One entry for every \$500 (incl GST) spent. For example, if an eligible entrant spends \$1,500, the eligible entrant will be awarded three (3) entries into the draw. Submit your receipts to www.mitre10.com.au/trade/cladalogue or by scanning QR code and complete your details to enter the draw. Cancelled or incomplete transactions will be deemed invalid. Winners will be draw 06/09/23 and will be notified via email. The staff of these stores, product suppliers and their immediate relatives are not eligible to enter. Prize not substitutable for cash or any other item. Unclaimed prizes will be subject to a subsequent draw 30/09/22. James Hardie, the James Hardie logo and Hardie are trademarks of James Hardie Australia Pty Ltd ABN 12 084 635 558. [™] and [®] denote a trademark or registered trademark owned by James Hardie Technology Ltd. PlayStation & Sony are registered trademarks of Sony Interactive Entertainment Inc. We reserve the right to correct printing errors.